




Your knowledgeable and trusted partner
for the best in water management solutions.

Product Catalog



Residential & Commercial Drainage | Professional Irrigation | Valve and Meter Boxes | Flow Management

MADE IN
USA

2026-2027 | ndspro.com



Since 1972, NDS has been producing plastic drainage and landscape products. From the beginning, our commitment to leading the industry has been unwavering, leading to remarkable innovations and state-of-the-art products that fit every environment, every schedule, every need.

Today, our commitment to providing one-source solutions has led to the development of superior quality drainage products, landscape products, fittings, valve and meter boxes, and drip and micro irrigation products. No product is added to our line without meeting exhaustive testing and extensive research requirements. Plus, we are uniquely able to offer our complete inventory of products to the US and Puerto Rico from regional warehouses across the US. Our goal: one-business-day delivery. Our track record: outstanding.

Take a moment to look through this catalog, noting the depth of our product offering. If you have any questions or to place an order, just call 1-800-726-1994 from 5 a.m. to 5 p.m. PST and let us offer the best solution to you.

Brand Promise



NDS® is your knowledgeable and trusted partner for the best in water management solutions.

We care about your success and provide industry-leading products, expert guidance, and dedicated support you won't find anywhere else.



Permeable Pavers

NDS Permeable Pavers provide an alternative solution to traditional paving methods. Creating a strong grass or gravel surface that can support heavy vehicles, they maintain permeable surface areas, eliminating or reducing stormwater runoff.



Benefits of NDS® Permeable Pavers

Greatest Compressive Strength*.

Offering a high load-bearing capacity, NDS Permeable Pavers feature hexagonal cells that connect together to form a flexible grid system capable of handling significant structural loads.

Easy Installation.

EZ Roll® products come in large rolls that are easily placed and clipped together. TuffTrack® features an integrated easy to assemble clip, that greatly reduces installation time.

Reduced Maintenance.

Less expensive to maintain over time than traditional hardscaping and reduces demands put on landscape drainage systems.

Environmentally Friendly.

NDS Permeable Pavers contribute to LEED credits and are made of up to 100% recycled plastic.

*Compare the strength of NDS Permeable Pavers to the competition.

We put water in its place™

NDS® Permeable Pavers for a variety of applications.



TuffTrack® Grass Pavers

TuffTrack® Grass Pavers are the strongest paver on the market for grass applications. Manufactured in rigid 24" square panels it offers maximum strength and stabilization for support of heavy vehicles like fire trucks.



EZ Roll® Grass Pavers

EZ Roll® Grass Pavers feature hexagonal cells that protect the root zone and prevent soil compaction, allowing healthy grass to thrive in areas that would traditionally have impervious hardscaping installed.



EZ Roll® Gravel Pavers

EZ Roll® Gravel Pavers preserve permeability and help maintain the look and functionality of a gravel road. Made with 100% recycled materials, they also minimize surface water runoff and present an attractive and sustainable alternative to traditional concrete or asphalt.





NDS EZ Marker™ Parking Delineators

EZ Marker™ is a modular solution to outlining driving lanes, parking stalls, and fire lanes. After the pavers have been unrolled, pinned, and secured, EZ Marker™ snaps into the appropriate empty cells to outline whatever pattern necessary to properly direct vehicular traffic.

TuffTrack® Grass Pavers

TuffTrack® Grass Pavers are 24 in. x 24 in. x 1.5 in. rigid panels featuring a clip fastener designed for fast installation that easily connects without extra pieces or tools. The TuffTrack Grass Paver is made of up to 100% recycled HDPE and has a combined series of 120 nested hexagonal cells per paver panel with 12 connecting clips. This unique combination provides superior stability and durability. Made of up to 100% recycled HDPE material treated with UV inhibitors. When filled, supports 400,000 pounds loads / 11,111 PSI.



Part No.	Description	Color (Box/Cover)	Pallet Qty.	Wt. Ea. lbs.	Product Class
TT-24	24" x 24" TuffTrack® Grass Pavers	Black	132	4.35	55GP

EZ Roll® Grass Pavers

EZ Roll® grass pavers are approximately 4 ft. wide x 150 ft. long, totaling 600 sq. ft. per roll, and made of up to 100% recycled HDPE material treated with UV inhibitors. They maintain green space and promote infiltration, help prevent rutting and erosion, and support vehicle loads. Can be planted with seed or sod. When filled, supports 400,000 pound loads / 11,111 PSI. Can be driven on unfilled to facilitate installation.



Part No.	Description	Color (Box/Cover)	Pallet Qty.	Wt. Ea. lbs.	Product Class
EZ4X24	EZ Roll® Grass Pavers, 3.96 ft. W x 24 ft. L roll, 95.01 sf total*	Black	6	55.44	55GP
EZ4X150	EZ Roll® Grass Pavers, 3.96 ft. W x 152 ft. L roll, 601.6 sf total*	Black	1	360.00	55GP

*EZ Roll Grass Paver panels are 1" tall

We put water in its place™

EZ Roll® Gravel Pavers

EZ Roll® gravel pavers are approximately 4 ft. wide x 150 ft. long, totaling 600 sq. ft. per roll, and made of up to 100% recycled HDPE material treated with UV inhibitors with geotextile fabric heat bonded to the paver to prevent gravel movement, downward stone migration, and panel lift. Each roll comes with 40 stakes that are driven through 3/8 in. diameter eyelets molded into each panel. EZ Roll gravel pavers provide a permeable, drivable surface capable of highway loading and suitable for parking lots, trails, access roads, and trailer parks. They support heavy loads while offering infiltration, and prevent stone from rutting. Can be driven on unfilled to facilitate installation.



Part No.	Description	Color (Box/Cover)	Pallet Qty.	Wt. Ea. lbs.	Product Class
GP4X150	EZ Roll® Gravel Pavers, 3.87 ft. W x 149 ft. L roll, 577 sf total per roll*	Black	1	360.00	55GP
GP4X150G	EZ Roll® Gravel Pavers, 3.87 ft. W x 149 ft. L roll, 577 sf total per roll*	Gray	1	360.00	55GP
GP4X150R	EZ Roll® Gravel Pavers, 3.87 ft. W x 149 ft. L roll, 577 sf total per roll*	Brick Red	1	360.00	55GP
GP4X150GT	EZ Roll® Gravel Pavers, 3.87 ft. W x 149 ft. L roll, 577 sf total per roll*	Tan	1	360.00	55GP

*EZ Roll Gravel Paver panels are 1" tall, and include stakes

EZ Marker™ Parking Delineators

EZ Marker™ Parking Delineators increase safety and organization by strategically directing parking lot traffic. Delineators are a great way to guide motorists around hazards and to their final parking destination. Used in conjunction with EZ Roll® Grass and Gravel Permeable Pavers they provide a simple and effective solution for managing parking lot traffic. EZ Marker is durable, tamper-resistant and built to last. Available in various colors to suit any traffic need including grass or gravel parking and fire line access.



Part No.	Description	Color
EZMARKER	EZ Marker™ Parking Delineator	White
EZMARKER-B	EZ Marker™ Parking Delineator	Blue
EZMARKER-Y	EZ Marker™ Parking Delineator	Yellow

Index, Permeable Pavers

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
EZ4X24	76	GP4X150	77						
EZ4X150	76	GP4X150G	77						
EZMARKER	77	GP4X150GT	77						
EZMARKER-B	77	GP4X150R	77						
EZMARKER-Y	77	TT-24	76						

For Permeable Paver Technical Information, Refer to Technical Specification documents at ndspro.com/specifications

You Click. You Order. No Waiting.

Getting connected is easy... set up your account online, or call customer service. 800-726-1994.
Se Habla Español.

ndspro.net



**The 24 hour online dealer tool that helps
you manage your NDS Business**

Instant Order Entry, No Wait
Check Discount Schedules
Check Order Status
Pricing Query

Manage Your Account
Invoice Printing
Inventory Query
News Updates



NEW! Shopping Cart
Easy to Use & Convenient

We put water in its place™

Terms and Conditions of Sale

Terms: Standard terms are NET 30 days. All invoices are to be paid in US Currency. Title and risk of loss pass to buyer upon shipment.

FREIGHT TERMS:

Continental US: Shipments that meet the \$2,000 prepaid freight minimum are DDP (Freight Prepaid). Shipments that do not meet the \$2,000 prepaid freight minimum are FCA NDS distribution center (Freight collect).

Canada: Shipments are CPT- Carriage Paid to customer's location in Canada. (Customer arranges customs clearance into Canada). No returns or refunds except for wrong or damaged product received.

All other international shipments: Shipments are FCA NDS distribution center. (Freight collect) All sales are final, no returns or refunds will be accepted/granted except for wrong product received.

International, Hawaii, Alaska, or Puerto Rico shipments delivered to a US intermediary (such as a freight forwarder or consolidator location in the continental US): Shipments are considered final upon receipt and checking at the US intermediary location

FREIGHT ALLOWANCE:

Prepaid levels are based on shipments to one location only. It is the responsibility of the customer to determine if your purchase order meets the minimum freight allowance required. NDS reserves the right to select the carrier and point of shipment.

Shipments within the Continental US:
Freight prepaid on orders of \$2,000 NET, or more.

Shipments to Canada, Alaska, Puerto Rico:
Freight prepaid on orders of \$2,500 NET, or more.

Shipments to Hawaii:
Freight prepaid on orders of \$3,500 NET, or more.

Shipments to Canada, Alaska, Hawaii, Puerto Rico orders that contain EZ Flow:
Freight prepaid on orders of \$4,000 NET, or more.

Errors & Claims: All claims for shortage in shipment or damaged material must be noted on the "Bill of Lading" and a written request for credit submitted to NDS within 15 days of shipment. NDS responsibility ceases upon delivery to the carrier.

Returned Goods: Returned goods will be accepted only after written approval and shipping instructions are received from NDS. A return goods authorization number is required and must be on all cartons, documents, and correspondence. All returns are subject to a 25% restocking charge, freight cost of returned goods (plus "out freight if applicable"). A higher restocking charge may be assessed against any return requiring extraordinary handling costs.

Minimum Order: \$100.00 minimum order net billing.

Broken Box Charge: A 25% broken box charge will be added for other than full box quantities. 21DI Drip Components, 25DS Dura Slope Channel and 25FC Filcoten Channel are excluded from this policy.

Limited One Year Warranty: The liabilities of NDS are limited solely and exclusively to replacement as set forth in our standard "Statement of Warranty", alone and do not include any liability for incidental, consequential or other damage of any kind whatsoever, whether any claim is based upon theories of contract, warranty, negligence or tort and without any limitations and do not include shipping charges, labor, installation or any other losses or expenses incurred in operation of any replacement specialty item or fitting. NDS drainage products are designed to be used for exterior surface drainage only.

All NDS products are guaranteed against defects resulting from faulty workmanship or materials. Claims for labor costs and other expenses required to replace defective products or repair of any damage resulting from the use thereof will not be allowed by NDS. Our liability is limited to replacement of products acknowledged by NDS to be defective.

Exclusive Warranties and Remedies: The foregoing remedies are exclusive and are given and accepted in lieu of (i) any and all other warranties, expressed or implied, including without limitation the implied warranties of merchantability and fitness for particular purpose; and (ii) any obligation, liability, right, claim or remedy in contract or tort, whether or not arising from NDS, Inc.'s negligence, actual or imputed. The remedies of customer shall be limited to those provided herein to the exclusion of any and all other remedies including, without limitation, incidental or consequential damages. No agreement varying or extending the foregoing warranties or these limitations will be binding on NDS, Inc., unless such is signed in writing by an authorized officer of NDS, Inc.

The liability of NDS, Inc., hereunder shall be limited to restoring to good working order, provided that NDS, Inc., is not required to restore the product to good working order when such failure is due to causes beyond NDS, Inc.'s control, including but not limited to, acts of God, acts of civil or military authority, priorities, strikes, floods, epidemics, war, riots, and other causes that are beyond the manufacturers control.

These provisions are complete and exclusive statements of all terms and conditions between NDS, Inc., and the consumer. These provisions may not be varied, supplemented, qualified or interpreted by any prior course of dealings, written or oral or by trade usage. No NDS, Inc. agent, officer or employee has authority to make any representation, promise or warranty concerning these provisions..

Visit ndspro.com for more information



Visit ndspro.com for:



Videos



Calculators



Quotes



Case Studies



Design Worx



Downloads

ndspro.com

NDS Customer Service
851 N. Harvard Ave., Lindsay, CA 93247
Phone: 800.726.1994 · 559.562.9888
Fax: 800.726.1998 · 559.562.4488
Se Habla Español

Download our
**Mobile App - Search
for NDS Drainage**



California Prop 65 Warning | To meet the requirements of California Proposition 65, it is our responsibility to inform you of the following:
Warning Some products sold contain chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.
For more information, please go to www.P65Warnings.ca.gov