


COMPRESSION (CAST-IN) RESILIENT STRUCTURE CONNECTION 12"-30" DUAL WALL HP STORM W/ SLEEVE MH ADAPTER OR NYLOPLAST PVC ADAPTER


COMPRESSION (CAST-IN) RESILIENT
STRUCTURE CONNECTION
(A-LOK, ECONOSEAL)



DUAL WALL HP STORM

SLEEVE MH ADAPTER (12" - 24" ONLY)

COMPRESSION (CAST-IN) RESILIENT
STRUCTURE CONNECTION
(A-LOK, ECONOSEAL, KWIKSEAL)



DUAL WALL HP STORM

NYLOPLAST PVC MANHOLE ADAPTER

SANITITE HP SLEEVE MANHOLE ADAPTER

| PIPE SIZE | ADS PRODUCT CODES | A-LOK® PREMIUM* | PRESS SEAL® SYSTEMS | |
|----------------|-------------------|--------------------|------------------------|--|
| | | | ECONOSEAL | |
| 12" (300mm) | 1222AAPP | 490 | 1250 | |
| 15" (375mm) | 1522AAPP | 585 | 18300.48500 | |
| 18" (450mm) | 1822AAPP | 710 | 22000.48500 | |
| 24" (600mm) | 2422AAPP | 915 | 29000.48500 | |

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
A-LOK is a registered trademark of A-LOK Products, Inc. (www.a-lok.com)

NYLOPLAST PVC MANHOLE ADAPTER

| PIPE SIZE | NYLOPLAST PRODUCT CODES | A-LOK® * | PRESS SEAL® SYSTEMS | |
|----------------|-------------------------------|----------|---------------------|-----------|
| | | | ECONOSEAL | KWIK SEAL |
| 12" (300mm) | 1257AGHPU | 410 | 1250 | KA750 |
| 15" (375mm) | 1557AGHPU | 490 | 1530 | KS750 |
| 18" (450mm) | 1857AGHPU | 610 | 18701.48500 | KS800 |
| 24" (600mm) | 2457AGHPU | 800 | 24803.48500 | KS800 |
| 30" (750mm) | 3057AGHPU | 1040 | 32000.48500 | N/A |

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
A-LOK is a registered trademark of A-LOK Products, Inc. (www.a-lok.com)

NOTES:

PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.

SEE STANDARD DETAIL STD-201 AND TECHNICAL NOTE: 5.04 HDPE CONNECTIONS TO MANHOLES AND STRUCTURES FOR INSTALLATION RECOMMENDATIONS.

NYLOPLAST PVC ADAPTER OD EQUIVALENT TO SDR 35

| | | | | | |
|------|----------------------|-----|----------|-------|--|
| 6 | UPDATE TABLES & LOGO | BSW | 08/06/25 | | |
| REV. | DESCRIPTION | BY | MM/DD/YY | CHK'D | |

© 2019 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

**12"-30" HP STORM COMPRESSION (CAST-IN)
STRUCTURE CONNECTION W/ SLEEVE OR PVC ADAPTER**

DRAWING NUMBER: STD-207A



4640 TRUEMAN BLVD
HILLIARD, OHIO 43026

| | |
|----------|---------|
| DRAWN BY | CKM |
| DATE | 2/23/10 |
| CHK'D BY | |
| SCALE | NTS |
| SHEET | 1 OF 1 |