



Spee-D[®] Contour[™] Channel Drain

Makes smooth,
natural curves

Patented design for
ease of assembly

High flow capacity
of 51 GPM

Precision Drainage in Every Curve



Transform your channel drain applications to form natural curves on hardscapes with the Spee-D® Contour™ channel drain. Whether you're creating open curves or closed loops, this channel drain redefines what's possible to elevate your projects with less installation time and hassle.

Ideal for: Pools and Patios, Fountains, Sunken Fire Pits, Splash Pads

Design

- Patented design for ease of assembly
- 0-9° of deflection
- Part of the Spee-D® channel drain family


Installation

- Pieces snap together for a secure fit
- Lowers installation time and labor costs
- No couplings required

Performance

- PVC channel and HDPE grate treated with UV inhibitors
- 51 GPM flow rate
- NDS class load B rating handles light vehicular traffic

Part No.	Spee-D® Contour™ Channel Drains		
400-ACM-WH	Middle Section with Gray Grate		
	4-3/4 in. W x 6 in. L (2) SS Grate Screws	Case Quantity: 40/approx. 20 ft.	
400-ACSE-WH	Start and End Section Kit with Gray Grates		
	4-3/4 in. W x 6 in. L (4) SS Grate Screws	Case Quantity: 8	




Customization

Create a Closed Loop Drain


Connect middle sections to each other.

Create an Open Curve or Connect a Straight Spee-D® Channel

Install start and end sections and finish drainage with appropriate couplings, end caps, or outlets.




How to Assemble the Spee-D® Contour™ Channel Drain:




Step 1:

Determine if you need an open or closed loop design.




Step 2:

Connect middle sections to each other to form a curved channel run.



Step 3:

Connect ends of middle section run together to create a closed loop.



Step 4:

Connect ends of middle section run to start and end sections to create an open design or transition from curved to straight channel.

Assembly
instructions



To disconnect two assembled parts, insert a flat-head screwdriver at the joint on the bottom of the channel and lift the tab until the pieces separate.

Spee-D® Channel Drain Family

Integrates seamlessly with the Spee-D® channel drain and accessories such as the coupling, end cap, and end outlet to create unique, custom projects.

Spee-D® Channel Drains			
			
400	400-10	400-10WH	400-10MTL
Part No.	Spee-D® Channel Drain Accessories		
234	Spee-D® Channel Drain with Bottom Outlet, 4-3/4 in. W X 2 ft. L, Connects to 3 in. and 4 in. Drain Fittings		
2350	Spee-D® Channel Drain Bottom Outlet, Connects to 3 in. and 4 in. Sewer and Drain Fittings		
246	Spee-D® Channel Drain End Outlet, Connects to 2 in. Fittings		
247	Spee-D® Channel Drain End Cap		
248	Spee-D® Channel Drain Coupling		

Backed by NDS, the trusted brand for industry-leading products, expert guidance, and dedicated support. The preferred brand by professionals.