
3299CGSQSB


APPROX, GRATE DRAIN AREA = 551,25 SQ IN *APPROX. WEIGHT WITH FRAME = 249.00 LBS



TOP OF BASE PLATE TO TOP OF DRAIN BASIN

12BASEG: 2.82 15BASEG: 2.82 18BASEG: 2.82

24BASEG: 2.82 30BASEG: 38



*WEIGHT DOES NOT INCLUDE DUCTILE IRON BASE PLATE

12BASEG: APPROX 109 00 LBS 15BASEG: APPROX. 98.00 LBS 18BASEG: APPROX. 85.00 LBS 24BASEG: APPROX. 93.00 LBS 30BASEG: APPROX. 82.00 LBS

ALL DIMENSIONS IN INCHES UNLESS NOTED OTHERWISE GRATE MEETS H-20 LOAD RATING

QUALITY: FRAME & GRATE MATERIALS SHALL CONFORM TO ASTM A-36 STEEL, BASE PLATE MATERIALS SHALL CONFORM TO ASTM A536 GRADE 70-50-05 DUCTILE IRON

LOCKING DEVICE AVAILABLE UPON REQUEST SEE DRAWING NO. 7001-110-256

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH
NYLOPLAST HAS PROPRIETARY RIGHTS. THE RECEIPT
OR POSSESSION OF THIS PRINT DOES NOT CONFER,
TRANSFER, OR LICENSE THE USE OF THE DESIGN OR
TECHNICAL INFORMATION SHOWN HEREIN
REPRODUCTION OF THIS PRINT OR ANY INFORMATION
CONTAINED HEREIN, OR MANUFACTURE OF ANY
ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS
IS FORBIDDEN, EXCEPT BY SPECIFIC WRITTEN
PERMISSION FROM NYLOPLAST. ©2013 NYLOPLAST

	DRAWN BY	CJA	MATERIA	L			-
	DATE	02-28-03					///
	REVISED BY	/ CCA	PROJECT NO./NAME				
s	DATE	09-04-13					TITLE 2
ST.	DWG SIZE	Α	SCALE	1:10	SHEET	1 OF 1	DWG NO.



3130 VERONA AVE **BUFORD, GA 30518** PHN (770) 932-2443 FAX (770) 932-2490 www.nyloplast-us.com

2 FT X 2 FT STEEL BAR GRATE ASSEMBLY

DWG NO. 7001-110-258 REV F