




### BELL-BELL COUPLER FOR 6 IN PIPE DIAMETER



### SPLIT COUPLER FOR 8 IN - 10 IN PIPE DIAMETER



### SHEET STOCK COUPLER FOR 12 IN - 36 IN PIPE DIAMETER



### COUPLER BAND DIMENSIONS

PIPE Ø, in (mm)	H, in (mm)	O, in (mm)	F, in (mm)	W, in (mm)	A, in (mm)	PRODUCT #	
6 (150)	3.06 (78)	2.38 (60)	1.00 (25)	3.50 (89)	6.94 (176)	0691DSXL	
8 (200)					6.00 (152)	0891DSXL	
10 (250)					5.00 (128)	1091DSXL	
12 (300)					1291DSXL		
15 (375)	3.08 (78)				12.00 (305)	1591DSXL	
18 (450)						1891DSXL	
24 (600)					16.50 (419)	2491DSXL	
30 (750)	3.08 (78)					25.50 (648)	3091DSXL
36 (900)						3691DSXL	

NOTE: ALL DIMENSIONS ARE FOR REFERENCE ONLY.

© 2025 ADS, INC.

0	-	-	-	-
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

Duraslot XL  
Coupler Band

DRAWING NUMBER: STD-1410B



4640 TRUEMAN BLVD  
HILLIARD, OHIO 43026

DRAWN BY:	KJS
DATE:	03-26-2025
CHK'D BY:	-
SCALE:	NTS
SHEET:	1 OF 1