




**SECTION A-A**  
NTS



**TOP SLAB PLAN VIEW**  
NTS / PIPE CONNECTIONS NOT SHOWN



**SECTION B-B**  
NTS



**PLAN VIEW**  
NTS

<b>ECOPURE BIOFILTER 360</b>	
WATER QUALITY FLOW RATE	0.80 CFS
EFFECTIVE LOADING RATE	1 GPM/SFKLJ
DRAINAGE AREA	1.945 ACRES
TREATED SEDIMENT CAPACITY	1,167 LBS

THE ECOPURE BIOFILTER™ IS A BIOFILTRATION STORMWATER TREATMENT TECHNOLOGY RELIES ON PHYSICAL, CHEMICAL AND BIOLOGICAL MECHANISMS TO REMOVE TOTAL SUSPENDED SOLIDS, TOTAL PHOSPHORUS, TOTAL NITROGEN, HEAVY METALS, OIL AND GREASE, TRASH AND BACTERIA. THE ECOPURE SYSTEM PROVIDES LINEAR TREATMENT DESIGN WITH AN UPFRONT PRETREATMENT CHAMBER.

<b>ECOPURE BIOFILTER 360</b> STANDARD DETAIL	DATE: 6/08/22 DRAWN: KLJ PROJECT #: CHECKED: KLJ
<b>EcoPure™ Biofilter</b> Stormwater Media Filters	DATE: 6/19/23 DRAWN: KLJ CHKD: KLJ DESCRIPTION: MAINTENANCE REDUCTION
4640 TRUJEMAN BLVD HILLIARD, OH 43026	<b>NOT TO SCALE</b>
<b>ADS</b>	1 SHEET OF 1

THIS DRAWING HAS BEEN PREPARED BASED ON INFORMATION PROVIDED TO ADS UNDER THE DIRECTION OF THE SITE DESIGN ENGINEER OR OTHER PROJECT REPRESENTATIVE. THE SITE DESIGN ENGINEER SHALL REVIEW THIS DRAWING PRIOR TO CONSTRUCTION. IT IS THE ULTIMATE RESPONSIBILITY OF THE SITE DESIGN ENGINEER TO ENSURE THAT THE PRODUCT(S) DEPICTED AND ALL ASSOCIATED DETAILS MEET ALL APPLICABLE LAWS, REGULATIONS, AND PROJECT REQUIREMENTS.