



12"-24" DUAL WALL HP STORM WATERTIGHT CONNECTION USING A PRECAST COMPRESSION GASKET



PIPE SIZE	SANITITE HP MANHOLE ADAPTER		
	ADAPTER OD	ADS PRODUCT CODES	A-LOK® *
12" (300mm)	15.3" (389mm)	1222AAPP	490
15" (375mm)	18.3" (465mm)	1522AAPP	580
18" (450MM)	22.0" (559mm)	1822AAPP	710
24" (600MM)	29.0" (737mm)	2422AAEP	915

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
A-LOK is a registered trademark of A-LOK Products, Inc. (www.a-lok.com)



PIPE SIZE	NYLOPLAST MANHOLE ADAPTER		
	ADAPTER OD	NYLOPLAST PRODUCT CODES	A-LOK® *
12" (300mm)	12.5" (318mm)	1268AG	410
15" (375mm)	15.3" (389mm)	1568AG	490
18" (450mm)	18.7" (475mm)	1868AG	610
24" (600mm)	24.8" (630mm)	2468AG	800

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
A-LOK is a registered trademark of A-LOK Products, Inc. (www.a-lok.com)

NOTES:

PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.

SEE STANDARD DETAIL STD-201 AND TECHNICAL NOTE: 5.04 HDPE CONNECTIONS TO MANHOLES AND STRUCTURES FOR INSTALLATION RECOMMENDATIONS.

4	UPDATED PRODUCT CODE	RWD	5/29/19	
REV.	DESCRIPTION	BY	MM/DD/YY	CHKD

© 2016 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

**12"-24" HP STORM MH
PRECAST COMPRESSION GASKET**

DRAWING NUMBER: STD-207A(EP)



4640 TRUEMAN BLVD
HILLIARD, OHIO 43026

DRAWN BY:	CKM
DATE:	2/23/10
CHD BY:	
SCALE:	NTS
SHEET:	1 OF 1