
NYLOPLAST DOUBLE 2 FT X 3FT CURB INLET STRUCTURE USING 36" X 80" DUCTILE IRON BASE PLATE



- 1 FRAMES, GRATES, HOODS, & BASE PLATES SHALL BE DUCTILE IRON PER ASTM A536 GRADE 70-50-05.
- 2 DRAIN BASIN TO BE CUSTOM MANUFACTURED ACCORDING TO PLAN DETAILS.
- 3 DRAINAGE CONNECTION STUB JOINT TIGHTNESS SHALL CONFORM TO ASTM D3212 FOR CORRUGATED HDPE (ADS N-12/HANCOR DUAL WALL), N-12 HP, & PVC SEWER (4" - 24").
- 4 ADAPTERS CAN BE MOUNTED ON ANY ANGLE 0° TO 360°. TO DETERMINE MINIMUM ANGLE BETWEEN ADAPTERS SEE DRAWING NO. 7001-110-012.
- 5 ALL CURB INLET GRATE OPTIONS (DIAGONAL & HIGH FLOW) SHALL MEET H-20 LOAD RATING

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH
NYLOPLAST HAS PROPRIETARY RIGHTS. THE RECEIPT
OR POSSESSION OF THIS PRINT DOES NOT CONFER,
TRANSFER, OR LICENSE THE USE OF THE DESIGN OR
TECHNICAL INFORMATION SHOWN HEREIN
REPRODUCTION OF THIS PRINT OR ANY INFORMATION
CONTAINED HEREIN, OR MANUFACTURE OF ANY
ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS
IS FORBIDDEN, EXCEPT BY SPECIFIC WRITTEN
PERMISSION FROM NYLOPLAST @2007 NYLOPLAST

DRAWN BY	NMH	MATERIAL			///A DO			JFORD, GA 3051	_
DATE	9-5-17 NMH						PI PI	IN (770) 932-244	13
APPD BY		PROJECT NO/NAME			Nyloplast 🖺		FAX (770) 932-2490 www.nyloplast-us.com		
APPUBI	NINILI	PROJEC	I NO./NA	WIE		TITLE		, , , , , , , , , , , , , , , , , , ,	_
DATE	E 9-5-17				DOUBLE 2 FT X 3 FT CURB INLET STRUCTURE USING DUCTILE IRON 36" X 80" BASE PLATE				
DWG SIZE	Α	SCALE	1:40	SHEET	1 OF 1	DWG NO.	7002-110-123 A	REV	Α