



AQUABOX PIPE INSERTION DETAIL

NTS



PIPE SIZE	A	B	C
100 mm (4")	-	-	133 mm (5.25") - 8 CORRUGATIONS
150 mm (6")	-	-	138 mm (5.42") - 7 CORRUGATIONS
200 mm (8")	197 mm (7.75")	121 mm (4.75")	146 mm (5.76") - 6 CORRUGATIONS
250 mm (10")	184 mm (7.25")	222 mm (8.75")	127 mm (5.00") - 4 CORRUGATIONS

NOTES: DIMENSIONS AND CORRUGATIONS ARE APPROXIMATE; CORRUGATIONS SHOULD BE CUT TO VALLEYS

PIPE INSERTION DETAIL
AQUABOX

DATE	DRWN	CHKD	DESCRIPTION



4640 TRUEMAN BLVD
HILLIARD, OH 43026

Aquabox

Modular Stormwater Management System

--	--

THIS DRAWING HAS BEEN PREPARED BASED ON INFORMATION PROVIDED TO ADS/STORMTECH UNDER THE DIRECTION OF THE PROJECT'S ENGINEER OF RECORD (EOR), OR OTHER PROJECT REPRESENTATIVE. THIS DRAWING IS NOT INTENDED FOR USE IN BIDDING OR CONSTRUCTION WITHOUT THE EOR'S PRIOR APPROVAL. EOR SHALL REVIEW THIS DRAWING PRIOR TO BIDDING AND/OR CONSTRUCTION. IT IS THE ULTIMATE RESPONSIBILITY OF THE EOR TO ENSURE THAT THE PRODUCT(S) DEPICTED AND ALL ASSOCIATED DETAILS MEET ALL APPLICABLE LAWS, REGULATIONS, AND PROJECT REQUIREMENTS.