

# Sump Well

Sump wells are an essential part of a building's drainage system. Advanced Drainage Systems, Inc. manufactures sump well 1524ADH\*, which collects water runoff from the building's perimeter to keep basements and crawl spaces dry. The collected water is then pumped out of the well to an outside source.

## Features & Benefits

Use with 4" (100 mm) corrugated single wall or SDR 35 pipe

Deeper inlet/outlet cleats for better retention and fit to 4" (100 mm) corrugated single wall pipe **1**

Inlet/outlet cut lines for 4" (100 mm) single wall or SDR 35 pipe **2**

Concentric rings **3** at inlets/outlets allow use of:

1. 2" (50 mm) hole for 1½" (38 mm) SCH 40 pipe
2. 2½" (63 mm) hole for 2" (50 mm) SCH 40 pipe
3. 3⅝" (92 mm) hole for 3" (75 mm) SCH 40 or SDR 35 pipe
4. 4½" (114 mm) hole for 4" (100 mm) SCH 40 or SDR 35 pipe

Extended side inlets and outlets for easier installation **4**

Hole saw dimples around outside for better hole saw alignment **5**

Top flare reinforces sump well opening and assists with sump lid alignment **6**

Inside ledges for back up sump pump shelf **7**



\* ADS has sump wells 1530ADH and 1524ADR as well and offers coordinating sump lids for each sump well.



ADS "Terms and Conditions of Sale" are available on the ADS website, [www.ads-pipe.com](http://www.ads-pipe.com).  
ADS\* and the Green Stripe are registered trademarks of Advanced Drainage Systems, Inc.  
© 2025 Advanced Drainage Systems, Inc. #11324 10/25 MH

[adspipe.com](http://adspipe.com)