



| Nominal Diameter, ID, in. (mm) | Depth of Invert, H, in. (mm) | |
|--------------------------------|------------------------------|--------------|
| | Minimum | Maximum |
| 6 (150) | 9.00 (299) | 30.00 (762) |
| 8 (200) | 11.00 (279) | 32.00 (813) |
| 10 (250) | 13.00 (330) | 34.00 (864) |
| 12 (300) | 15.50 (394) | 48.00 (1219) |
| 15 (375) | 18.75 (476) | 51.00 (1295) |
| 18 (450) | 22.00 (559) | 54.00 (1372) |
| 24 (600) | 28.75 (730) | 60.00 (1524) |
| 30 (750) | 35.00 (889) | 66.00 (1676) |
| 36 (900) | 41.25 (1048) | 72.00 (1829) |

NOTES:

1. BACKFILL DESIGN SHOULD BE USED FOR NON-VEHICULAR LOADS ONLY
2. SURFACE PAVEMENT ADJOINING THE SLOT SHOULD BE A NON-EROSIVE MATERIAL.
3. SITE ENGINEER TO PROVIDE SITE SPECIFIC BACKFILL DETAILS, SUCH AS PAVEMENT TYPE.
4. REFER TO ADS TECH NOTE 2.11 FOR ADDITIONAL DESIGN INFORMATION.
5. SLOT RECESS IS NOT INCLUDED IN DEPTH OF INVERT TABLES.

© 2022 ADS, INC.

| REV. | DESCRIPTION | BY | MM/DD/YY | CHK'D |
|------|------------------------|-----|------------|-------|
| 1 | Minor dimension update | KJS | 05/19/2023 | - |

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

**Duraslot XL Light Duty
Installation**

DRAWING NUMBER: STD-1460B



4640 TRUEMAN BLVD
HILLIARD, OHIO 43026

| | |
|-----------|------------|
| DRAWN BY: | KJS |
| DATE: | 04-18-2023 |
| CRE'D BY: | |
| SCALE: | NTS |
| SHEET: | 1 OF 1 |