


BOOTED OR COMPRESSION (CAST-IN) RESILIENT STRUCTURE CONNECTION 12"-24" DUAL WALL HP STORM W/ FABRICATED MH ADAPTER



PREFABRICATED MANHOLE ADAPTER W/SMOOTH EXTERIOR

PIPE SIZE	ADS ADAPTER GASKET	PRESS SEAL® SYSTEMS *	A-LOK® *
		CAST-A-SEAL *	
12" (300mm)	1222ANBP	CAS 802	480
15" (375mm)	1522ANBP	CAS 802	580
18" (450mm)	1822ANBP	CAS 802	710
24" (600mm)	2422ANBP	CAS 802	920

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
 KOR-N-SEAL is a registered trademark of NPC, Inc. (www.npc.com)
 CAST-A-SEAL is a registered trademark of PRESS-SEAL GASKET CORPORATION. (www.press-seal.com)
 A-LOK is a registered trademark of A-LOK Products, Inc. (www.a-lok.com)

CONTACT AN ADS REPRESENTATIVE FOR CUSTOM ADAPTERS

NOTES:

PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.

THE CAST-A-SEAL CONNECTION IS FOR USE WITH SQUARE MANHOLES ONLY.

SEE STANDARD DETAIL STD-201 AND TECHNICAL NOTE: 5.04 CONNECTIONS TO MANHOLES AND STRUCTURES FOR INSTALLATION RECOMMENDATIONS.

4	RENAMED & MODIFIED ADAPTER & TABLE	AMT	09-09-19	
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

© 2019 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

12"-24" HP STORM MH BOOTED OR COMPRESSION (CAST-IN) STRUCTURE CONNECTION WITH FABRICATED ADAPTER

DRAWING NUMBER: STD-207G



4640 TRUEMAN BLVD
 HILLIARD, OHIO 43026

DRAWN BY	CKM
DATE	2/23/10
CHK'D BY	
SCALE	NTS
SHEET	1 OF 1