
NYLOPLAST 8" INLINE DRAIN: 2708AG _ _ X



- 1 GRATES/SOLID COVERS SHALL BE DUCTILE IRON PER ASTM A536 GRADE 70-50-05 WITH THE EXCEPTION OF THE BRONZE GRATE.
- 2 FOR COMPLETE DESIGN DETAILS SEE DRAWING NO. 7003-110-000.
- 3 DRAINAGE CONNECTION STUB JOINT TIGHTNESS SHALL CONFORM TO ASTM D3212 FOR CORRUGATED HDPE (ADS N-12/HANCOR DUAL WALL), & PVC SEWER.

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH
NYLOPLAST HAS PROPRIETARY RIGHTS. THE RECEIPT
OR POSSESSION OF THIS PRINT DOES NOT CONFER,
TRANSFER, OR LICENSE THE USE OF THE DESIGN OR
TECHNICAL INFORMATION SHOWN HEREIN
REPRODUCTION OF THIS PRINT OR ANY INFORMATION
CONTAINED HEREIN, OR MANUFACTURE OF ANY
ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS
IS FORBIDDEN, EXCEPT BY SPECIFIC WRITTEN
PERMISSION FROM NYLOPLAST @2013 NYLOPLAST

DRAWN BY	EBC	MATERIAL				//ADS Nyloplast		3130 VERONA AVE BUFORD, GA 30518		
DATE	11-15-06							PHN (770) 932-24 FAX (770) 932-24		
REVISED B	Y NMH	PROJECT NO./NAME				opiaot =	www.nyloplast-u			
DATE	03-15-16					8 IN INLINE D	RAIN QUICK SPEC I	NSTALLATION DE	TAIL	
DWG SIZE	Α	SCALE	1:16	SHEET	1 OF 1	DWG NO.	7003-110-033	REV	F	