
NYLOPLAST 12" UNIVERSAL INLINE DRAIN - SHALLOW INSTALLATION



THE BACKFILL MATERIAL SHALL BE CRUSHED STONE OR OTHER GRANULAR MATERIAL MEETING THE REQUIREMENTS OF CLASS I, CLASS II, OR CLASS III MATERIAL AS DEFINED BY ASTM D2321. BEDDING & BACKFILL SHALL BE WELL PLACED AND COMPACTED UNIFORMLY IN ACCORDANCE WITH ASTM D2321.

1 - REFER TO NYLOPLAST DETAILS 7003-110-158 AND 7003-110-159 FOR FULL INSTALLATION GUIDELINES.

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH
NYLOPLAST HAS PROPRIETARY RIGHTS. THE RECEIPT
OR POSSESSION OF THIS PRINT DOES NOT CONFER,
TRANSFER, OR LICENSE THE USE OF THE DESIGN OR
TECHNICAL INFORMATION SHOWN HEREIN
REPRODUCTION OF THIS PRINT OR ANY INFORMATION
CONTAINED HEREIN, OR MANUFACTURE OF ANY
ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS
IS FORBIDDEN, EXCEPT BY SPECIFIC WRITTEN
PERMISSION FROM NYLOPLAST. ©2021 NYLOPLAST

	DRAWN BY	JJC	MATERIAL	
	DATE	10-20-21		
	APPD BY	JJC	PROJECT NO./NAME	
s	DATE	10-20-21		ΤITL

SHEET

1 OF 1

SCALE 1:20

DWG SIZE

	///
1	//ADS
	Nyloplast

3130 VERONA AVE **BUFORD, GA 30518** PHN (770) 932-2443 FAX (770) 932-2490 www.nyloplast-us.com

12" NYLOPLAST UNIVERSAL INLINE DRAIN

SHALLOW BURIAL GUIDELINES DWG NO. 7003-110-160 REV