
8 IN - 36 IN MINIMUM ANGLE BETWEEN ADD-A-BRANCH ADAPTERS

THIS CHART DOES NOT APPLY WHEN USING AN ENVIROHOOD

ADAPTER SIZE	8" BASIN	10" BASIN	12" BASIN	15" BASIN	18" BASIN	24" BASIN	30" BASIN	36" BASIN
4" - 4"	119°	96°	75°	60°	48°	38°	28°	20°
4" - 6"	-	100°	87°	69°	55°	43°	32°	25°
4" - 8"	-	-	102°	79°	63°	49°	36°	30°
4" - 10"	-		-	91°	71°	55°	40°	34°
4" - 12"	-	-	-	-	80°	61°	45°	37°
4" - 15"	-		-	-	-	70°	51°	41°
4" - 18"	-	-	-	-	-	-	58°	46°
4" - 24"	-	-	-	-	-	-	-	59°
6" - 6"	-	127°	100°	78°	62°	49°	36°	30°
6" - 8"	-	-	114°	88°	70°	55°	40°	34°
6" - 10"		-	-	100°	79°	61°	44°	37°
6" - 12"	-	-	-	-	87°	67°	49°	40°
6" - 15"	-	-	-	-	-	76°	55°	44°
6" - 18"	-	-	-	-	-	_	62°	50°
6" - 24"	-	-	-	-	-	-	-	62°
8" - 8"			129°	98°	78°	60°	44°	37°
8" - 10"	-		-	110°	86°	66°	49°	40°
8" - 12"	-	•	-	-	95°	72°	53°	43°
8" - 15"	-		-	-	_	82°	59°	47°
8" - 18"	-	•	-	-	-		67°	55°
8" - 24"	-		-	-	_	-	-	71°
10" - 10"		-	-	122°	95°	72°	53°	43°
10" - 12"	-	-	-	_	103°	78°	57°	47°
10" - 15"	-	-	-	-	-	88°	63°	53°
10" - 18"	-	-	-	_	_	-	71°	62°
10" - 24"	-	-	-	-	-	-	-	79°
12" - 12"	-		-	-	112°	84°	61°	53°
12" - 15"			-	-	-	94°	67°	60°
12" - 18"	-		-	-	_		75°	71°
12" -24"				-				85°
15" - 15"	-	-	-	-	-	103°	73°	69°
15" - 18"	-	-	-	-	-	_	81°	77°
15" - 24"	-	-	-	_	_	_	-	92°
18" - 18"				-			87°	82°
18" - 24"			-	-	-	-	-	103°
24" - 24"					•			115°



THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH NYLOPLAST HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS FORBIDDEN, EXCEPT BY SPECIFIC WRITTEN PERMISSION FROM NYLOPLAST.

DRAWN BY	EBC	MATERIA	L			
DATE	2-17-06					,
REVISED BY	NMH	PROJEC1	NO./NAME			
						TITLE
DATE	12-17-19					
DWG SIZE	Α	SCALE	NTS	SHEET	1 OF 1	DWG NO.

//ADS	
Nyloplast 🖺	

3130 VERONA AVE BUFORD, GA 30518 PHN (770) 932-2443 FAX (770) 932-2490 www.nyloplast-us.com

TLE 8 IN - 36 IN MINIMUM ANGLE BETWEEN ADD-A-BRANCH ADAPTERS

0110-110-005 REV E