

MISSOURI APPROVED PRODUCTS



Chambers

LOW PROFILE





Quick4 Equalizer 24 Chamber MODEL #: Q4EQ24

- Approved equal to 24" for conventional gravity flow systems
- Approved for Low Pressure Pipe Designs at 5'
- LPP system must be designed by a Missouri Professional Engineer

| Application: | 18" or 24" wide trench, curved or straight | | | |
|--|--|----------------|-------------|--|
| Size: | 16"W x 53"L x 11"H (406 mm x 1346 mm x 279 mm) | | | |
| Effective Length: | 48" (1219 mm) | | | |
| Quick4 Equalizer 24 Multiport Endcap with six molded-in high and low inlets for maximum piping flexibility. Tear-out seals. MODEL #: Q4EQ24E | | | | |
| Size: | 16"W x 14"L x 12"H (406 mm x 356 mm x 305 mm) | | | |
| Additional Length per Pair of Endcaps: | 22.8" (579 mm) | Invert Height: | 6" (152 mm) | |



Quick4 Equalizer 36 Chamber MODEL #: Q4EQ36

- Approved at 36" for conventional gravity flow systems
- Approved for Low Pressure Pipe designs at 5'
- LPP system must be designed by a Missouri Professional Engineer

| Application: | 24" wide trench, curved or straight | Application: | Bed | |
|---|--|----------------|-------------|--|
| Size: | 22"W x 53"L x 12"H (559 mm x 1346 mm x 305 mm) | | | |
| Effective Length: | 48" (1219 mm) | | | |
| MODEL: Quick4 Equalizer 36 Multiport Endcap with six molded-in high and low inlets for maximum piping flexibility. Tear-out seals. MODEL #: Q4EQ36E | | | | |
| Size: | 22"W x 16"L x 12"H (559 mm x 406 mm x 305 mm) | | | |
| Additional Length per Pair of Endcaps: | 25.2" (640 mm) | Invert Height: | 6" (152 mm) | |



Quick4 Equalizer 24 Low Profile Chamber MODEL #: Q4EQ24LP

- Approved equal to 24" for conventional gravity flow systems
- Approved for Low Pressure Pipe Designs at 5'
- LPP system must be designed by a Missouri Professional Engineer

| Application: | 18" or 24" wide trench, curved or straight | | | |
|---|---|----------------|------------|--|
| Size: | 16"W x 53"L x 8"H (406 mm x 1346 mm x 203 mm) | | | |
| Effective Length: | 48" (1219 mm) | | | |
| Quick4 Equalizer 24 Low Profile Endcap offers a simple overlap design for easy installation. MODEL #: Q4EQ24LPE | | | | |
| Size: | 14"W x 7"L x 8"H (356 mm x 178 mm x 203 mm) | | | |
| Additional Length per Pair of Endcaps: | 9" (229 mm) | Invert Height: | 2" (51 mm) | |





Quick4 Standard Chamber MODEL #: Q4STD

- Approved equal to 42" for conventional gravity flow systems
- Approved for low pressure pipe systems. 5 sq ft per linear ft.
- Approved for 5 sq ft per conventional/gravity systems.

| Application: | 36" wide trench, curved or straight | | |
|---|--|----------------|-------------|
| Size: | 34"W x 53"L x 12"H (864 mm x 1346 mm x 305 mm) | | |
| Effective Length: | 48" (1219 mm) | | |
| Quick4 Standard Multiport Endcap with eight molded-in high and low inlets for maximum piping flexibility. Tear-out seals. MODEL #: Q4STDE | | | |
| Size: | 34"W x 16"L x 12"H (864 mm x 406 mm x 305 mm) | | |
| Additional Length per Pair of Endcaps: | 26.4" (671 mm) | Invert Height: | 8" (203 mm) |



MISSOURI APPROVED PRODUCTS



Chambers

LOW PROFILE









Quick4 Plus Standard Low Profile (LP) Chamber MODEL #: Q4+STDLP

- Approved equal to 42" for conventional gravity flow systems
- Approved for Low Pressure Pipe designs at 5'
- LPP system must be designed by a Missouri Professional Engineer

| Application: | 36" wide trench, curved or straight | | |
|-------------------|---|--|--|
| Size: | 34"W x 53"L x 8"H (864 mm x 1346 mm x 203 mm) | | |
| Effective Length: | 48" (1219 mm) | | |

Quick4 Plus Equalizer 36 Low Profile (LP) Chamber MODEL #: Q4+EQ36LP

- Approved at 36" for conventional gravity flow systems
- Approved for Low Pressure Pipe designs at 5'

| • LPP system must be designed by a Missouri Professional Engineer | | |
|---|--|--|
| Application: | Reduced height applications, 4" shorter than standard chambers. 24" wide trench, curved or straight. | |
| Size: | 22"W x 53"L x 8"H (559 mm x 1346 mm x 203 mm) | |
| Effective Length: | 48" (1219 mm) | |

Quick4 Plus Standard Low Profile and Quick4 Plus Equalizer 36 Low Profile Chambers are compatible with either endcap noted below.

Quick4 Plus All-in-One 8 Endcap Use at either end of a chamber row for an inlet/outlet or can be installed mid-trench. Side, end or top inletting.

MODEL #: Q4+A1E

| Size: | 18"W x 13"L x 8"H (457 mm x 330 mm x 203 mm) | | |
|-------------------------------|--|------------------------|-------------------------|
| Additional Length per Endcap: | 10.4" (264 mm) | | |
| Invert Height: | 5.3", 8" (134 mm, 203 mm) | Optional Accessory: | All-in-One Periscope |

Quick4 Plus Endcap Simple, flat design that allows for a pipe installation at the end of the chamber row. Piping drill points are set for gravity or pressure pipe. MODEL #: Q4+E (flat)


| Size: | 18"W x 7"L x 8"H (457 mm x 178 mm x 203 mm) | | |
|-------------------------------|---|----------------|--------------|
| Additional Length per Endcap: | 4.5" (114 mm) | Invert Height: | 3.3" (84 mm) |



MISSOURI APPROVED PRODUCTS




Septic Systems




EZflow 1201PGEO MODEL #: 1201-GEO-SEP

- Equal to 2' for conventional gravity flow systems
- Approved for Low Pressure Pipe designs at 5'
- LPP system must be designed by a Missouri Professional Engineer




- Equal to 3' for conventional gravity flow systems
- Approved for Low Pressure Pipe designs at 5'
- LPP system must be designed by a Missouri Professional Engineer



EZflow 0801PGEO MODEL #: 0801-GEO-SEP

- Approved for Low Pressure Pipe designs at 5'
- LPP system must be designed by a Missouri Professional Engineer



EZflow 1001PGEO MODEL #: 1001-GEO-SEP

- Approved for Low Pressure Pipe designs at 5'
- LPP system must be designed by a Missouri Professional Engineer